

**Oneida County Board of Adjustment
Meeting Summary
August 3, 2023 at 9:00 a.m.
Committee Room #2, 2nd Floor
Oneida County Courthouse**

Chair, Harland Lee, called the meeting to order at 9:00 a.m. in accordance with the Wisconsin Open Meeting Law.

Wisconsin open meeting law statement.

Roll call of Members: Mr. Albert, “here”; Mr. Hansen, “here”; Mr. Ross, “here”; Mr. Pazdernik, “here”; Mr. Viegut, “here”; Mr. Chronister, “here”; and Mr. Lee, “here”.

Members Absent: None

County Staff members present: Todd Troskey, Assistant Director and Julie Petraitis, Program Assistant.

Guests present: See Sign in sheet

Approve the agenda.

Motion by Guy Hansen, second by Norris Ross to approve the agenda. With all members present voting “aye”, the motion carried.

Public comment: **None.**

Old Business:

a. Consider status of previous cases. Mr. Troskey reported that PNL Holdings, submitted and received their permit for the after-the-fact concrete pad.

Mr. Suski submitted and received his permit for the garage.

Mr. Janet has requested a refund for his appeal that was denied. Motion by Norris Ross, second by Phil Albert to recommend, to the Planning and Development Committee, to deny the request for a refund. With all members present voting “aye”, the motion carried.

b. Update on zoning statutes and ordinance amendments. **Nothing to report at this time.**

Current Business:

a. Approve any available bills. **None**

b. Consider current and pending appeals to BOA. **No new appeals at this time.**

c. Review/revise meeting/hearing calendar. **The next meeting is August 10, 2023 at 9:00 am in Rhinelander.**

9:15 am. Recess for onsite inspection. The Board will travel together to the inspection site at further described as Section , TN, RE, PIN , Town of Oneida County, Wisconsin to conduct an onsite inspection at approximately 10:00 am, followed by lunch together at a place to be determined. No business will be discussed while traveling or at lunch.

Harland Lee, Chairperson

Phil Albert, Secretary

DRAFT